

Little Henty Options list

	•
Customer name :	Job number : RVB
Customer address :	
Customer phone : Mo	e phone : Mobile phone :
Camper model selected :	
Seat fabric selection :	Benchtop laminate : Floor Vinyl :
Selecte	l upgrades - all models
Fiamma Awning (Side)	14L Truma Gas & Electric Water heater
Fiamma Awning (Rear)	55L water tank + pump
• 650w Drop down table	Kitchen cabinet & 3 burner stove & sink
800w Drop down table	Thetford Porta Potti Qube
• 1000w Drop down table	240v Smart battery charger
Solar Panel & MPPT solar regul	or
 Additional 100W Solar panels 	Marine Omni Directional TV antenna
• Extra 120ah deep cycle gel batt	Mains water pressure entry
 Pull out Marine Grade BBQ 	Stereo system with CD, Bluetooth, USB
• 2500W Pure Sine Wave Inverte	200w Speakers & powered antenna
 Window — clears 	Lockable security grab handle.
 Mains power inlet 	• 12v USB Socket
 Extra 240v sockets 	External Shower box
• Extra 12v Socket	Removable electric legs
 Small access hatch 	Fixed on electric legs
Large access hatch	☐ Upgrades total \$
Gas detector	☐ Model's base price \$
 Pantry Cabinet 	Total cost \$
Diesel Heater	



Little Henty - vehicle compatibility

	2.1 RD	2.1 SD	2.1 SB	2.4 RD	2.4 SD	2.4 SB	2.4 SBR
Ford Ranger Single cab	✓	✓	✓	✓	✓	✓	✓
Ford Ranger Super cab	✓	✓	✓	✓	✓	✓	✓
Ford Ranger Dual cab	✓	✓	✓	X	X	X	Х
Holden Colorado Space cab	✓	✓	✓	✓	✓	✓	✓
Holden Rodeo Single cab	✓	✓	✓	✓	✓	✓	✓
Izuzu Dmax Space cab	✓	✓	✓	✓	✓	✓	✓
Mazda BT-50 Freestyle/extra/Dual cab	✓	✓	✓	X	X	X	X
Toyota Landcruser	X	X	X	✓	✓	✓	✓
VW Transporter Dual cab	✓	✓	✓	✓	✓	✓	✓
Hino 300 series Truck	✓	✓	✓	✓	✓	✓	✓

Construction Materials

SANDWICH PANEL

We manufacture our 25mm thick wall panel onsite. Each panel is made from 2 fibreglass gel sheets which is then pressed onto a PVC foam core. This product is very strong, light weight, waterproof and only weighs 7kg m2. If damaged it can be repaired easily and has great thermal and acoustic properties.



ROOF - Our roof is made from one piece using a large mould. This process makes for a strong and seamless construction. The inside of the roof is fully lined with our foam core for insulation and has a plush front runner to give a luxurious feel whilst eliminating the formation of condensation.



CHASSIS - We manufacture a galvanised steel chassis frame which then has the sealed floor ply applied to it. The hardwood feet/skids are fixed on to the chassis at the optimum points for weight distribution.

